

**SSC**

# SOLVED PAPERS

MAHARASHTRA BOARD  
CLASS X



SCAN THE QR CODE FOR  
**ALL SOLVED PAPERS**  
AND PRACTICE PAPERS



**2025 BOARD PAPER INCLUDED**

Be the Next Topper - Call us now at **73042 34055**

Seat No. 

--	--	--	--	--	--

2025 III 07 1100 – N 832– MATHEMATICS (71) GEOMETRY—PART II (E)  
(REVISED COURSE)

Time : 2 Hours

(Pages 12)

Max. Marks : 40

Note :—

- (i) All questions are compulsory.
- (ii) Use of a calculator is not allowed.
- (iii) The numbers to the right of the questions indicate full marks.
- (iv) In case of MCQs [Q. No. 1(A)] only the first attempt will be evaluated and will be given credit.
- (v) Draw proper figures wherever necessary.
- (vi) The marks of construction should be clear. Do not erase them.
- (vii) Diagram is essential for writing the proof of the theorem.

1. (A) Choose the correct alternative from given : 4

- (1) Out of the following which is a Pythagorean triplet ?
- (A) (1, 5, 10)
  - (B) (3, 4, 5)
  - (C) (2, 2, 2)
  - (D) (5, 5, 2)

P.T.O.

## 2/N 832


- (2)  $\angle ACB$  is inscribed angle in a circle with centre O. If  $\angle ACB = 65^\circ$ , then what is measure of its intercepted arc AXB ?
- (A)  $65^\circ$
- (B)  $230^\circ$
- (C)  $295^\circ$
- (D)  $130^\circ$
- (3) Distance of point (3, 4) from the origin is .....
- (A) 7
- (B) 1
- (C) 5
- (D) -5
- (4) If radius of cone is 5 cm and its perpendicular height is 12 cm, then the slant height is .....
- (A) 17 cm
- (B) 4 cm
- (C) 13 cm
- (D) 60 cm

### 3/N 832


(B) Solve the following sub-questions :

4

- (1) In the following figure  $\triangle ABC$ ,  $B - D - C$  and  $BD = 7$ ,  $BC = 20$ ,  
then find  $\frac{A(\triangle ABD)}{A(\triangle ABC)}$ .



- (2) In the following figure  $\angle MNP = 90^\circ$ , seg  $NQ \perp$  seg  $MP$ ,  $MQ = 9$ ,  
 $QP = 4$ , find  $NQ$ .




- (3) Angle made by a line with the positive direction of X-axis is  $30^\circ$ .  
Find slope of that line.
- (4) In cyclic quadrilateral ABCD  $m\angle A = 100^\circ$ , then find  $m\angle C$ .

P.T.O.

## 4/N 832

2. (A) Complete the following activities and rewrite it (any two) : 4

- (1) The radius of a circle with centre 'P' is 10 cm. If chord AB of the circle subtends a right angle at P, find area of minor sector by using the following activity. ( $\pi = 3.14$ )



**Activity :**

$$r = 10 \text{ cm}, \theta = 90^\circ, \pi = 3.14.$$

$$A(P\text{-}AXB) = \frac{\theta}{360} \times \boxed{\phantom{0000}}$$


$$= \frac{\boxed{\phantom{0000}}}{360} \times 3.14 \times 10^2$$

$$= \frac{1}{4} \times \boxed{\phantom{0000}}$$

$$A(P\text{-}AXB) = \boxed{\phantom{0000}} \text{ sq. cm.}$$

## 5/N 832

- (2) In the following figure chord MN and chord RS intersect at point D. If RD = 15, DS = 4, MD = 8, find DN by completing the following activity :



**Activity :**

$$\therefore MD \times DN = \boxed{\phantom{000}} \times DS \dots\dots\dots$$

\dots\dots\dots (Theorem of internal division of chords)

$$\therefore \boxed{\phantom{000}} \times DN = 15 \times 4$$


$$\therefore DN = \frac{\boxed{\phantom{000}}}{8}$$

$$\therefore DN = \boxed{\phantom{000}}$$

P.T.O.

## 6/N 832

- (3) An observer at a distance of 10 m from tree looks at the top of the tree, the angle of elevation is  $60^\circ$ . To find the height of tree complete the activity. ( $\sqrt{3} = 1.73$ )



**Activity :**

In the figure given above,  $AB = h =$  height of tree,  $BC = 10$  m, distance of the observer from the tree.

Angle of elevation ( $\theta$ ) =  $\angle BCA = 60^\circ$

$$\tan \theta = \frac{\boxed{\phantom{000}}}{BC} \dots\dots\dots \text{(I)}$$

$$\tan 60^\circ = \boxed{\phantom{000}} \dots\dots\dots \text{(II)}$$

$$\frac{AB}{BC} = \sqrt{3} \quad (\text{From (I) and (II)})$$

$$AB = BC \times \sqrt{3} = 10\sqrt{3}$$


$$AB = 10 \times 1.73 = \boxed{\phantom{000}}$$

$\therefore$  height of the tree is  $\boxed{\phantom{000}}$  m.


## 7/N 832

(B) Solve the following sub-questions (any four) : 8

- (1) In  $\triangle ABC$ ,  $DE \parallel BC$ . If  $DB = 5.4$  cm,  $AD = 1.8$  cm,  $EC = 7.2$  cm, then find  $AE$ .




- (2) In the figure given below, find  $RS$  and  $PS$  using the information given in  $\triangle PSR$ .



P.T.O.

## 8/N 832


- (3) In the following figure, circle with centre D touches the sides of  $\angle ACB$  at A and B. If  $\angle ACB = 52^\circ$ , find measure of  $\angle ADB$ .



- (4) Verify, whether points, A(1, -3), B(2, -5) and C(-4, 7) are collinear or not.
- (5) If  $\sin \theta = \frac{11}{61}$ , find the values of  $\cos \theta$  using trigonometric identity.

**3. (A) Complete the following activities and rewrite it (any one) : 3**

- (1) In the following figure,  $XY \parallel \text{seg } AC$ . If  $2AX = 3BX$  and  $XY = 9$ . Complete the activity to find the value of AC.



## 9/N 832

**Activity :**

$$2AX = 3BX \text{ (Given)}$$

$$\therefore \frac{AX}{BX} = \frac{3}{\square}$$

$$\frac{AX + BX}{BX} = \frac{3+2}{2} \text{ ..... (by componendo)}$$

$$\frac{\square}{BX} = \frac{5}{2} \text{ ..... (I)}$$


Now  $\triangle BCA \sim \triangle BYX$  ..... (  $\square$  test of similarity)

$$\therefore \frac{BA}{BX} = \frac{AC}{XY} \text{ ..... (corresponding sides of similar triangles)}$$

$$\frac{\square}{\square} = \frac{AC}{9} \text{ ..... from (I)}$$

$$\therefore AC = \square$$

- (2) Complete the following activity to prove that the sum of squares of diagonals of a rhombus is equal to the sum of the squares of the sides.



P.T.O.

# 10/N 832

**Given :**

□ PQRS is a rhombus. Diagonals PR and SQ intersect each other at point T.

To prove :  $PS^2 + SR^2 + QR^2 + PQ^2 = PR^2 + QS^2$

**Activity :**

Diagonals of a rhombus bisect each other.

In  $\Delta PQS$ , PT is the median and in  $\Delta QRS$ , RT is the median.

$\therefore$  by Apollonius theorem,

$$PQ^2 + PS^2 = \boxed{\phantom{00}} + 2QT^2 \dots\dots\dots (I)$$

$$QR^2 + SR^2 = \boxed{\phantom{00}} + 2QT^2 \dots\dots\dots (II)$$

adding (I) and (II),

$$PQ^2 + PS^2 + QR^2 + SR^2 = 2 (PT^2 + \boxed{\phantom{00}}) + 4QT^2$$

$$= 2 (PT^2 + \boxed{\phantom{00}}) + 4QT^2$$

$$\dots\dots\dots (RT = PT)$$

$$= 4PT^2 + 4QT^2$$

$$= (\boxed{\phantom{00}})^2 + (2QT)^2$$

$$\therefore PQ^2 + PS^2 + QR^2 + SR^2 = PR^2 + \boxed{\phantom{00}}.$$


**11/N 832**

**(B) Solve the following sub-questions (any two) : 6**

- (1) Show that points  $P(1, -2)$ ,  $Q(5, 2)$ ,  $R(3, -1)$ ,  $S(-1, -5)$  are the vertices of a parallelogram.
- (2) Prove that tangent segments drawn from an external point to a circle are congruent.
- (3) Draw a circle with radius 4.1 cm. Construct tangents to the circle from a point at a distance 7.3 cm from the centre.
- (4) How many solid cylinders of radius 10 cm and height 6 cm can be made by melting a solid sphere of radius 30 cm ?

**4. Solve the following sub-questions (any two) : 8**

- (1) In the following figure  $DE \parallel BC$ , then :
  - (i) If  $DE = 4$  cm,  $BC = 8$  cm,  $A(\Delta ADE) = 25$  cm<sup>2</sup>, find  $A(\Delta ABC)$ .
  - (ii) If  $DE : BC = 3 : 5$ , then find  $A(\Delta ADE) : A(\square DBCE)$ .



P.T.O.

## 12/N 832

- (2)  $\triangle ABC \sim \triangle PQR$ . In  $\triangle ABC$ ,  $AB = 3.6$  cm,  $BC = 4$  cm and  $AC = 4.2$  cm. The corresponding sides of  $\triangle ABC$  and  $\triangle PQR$  are in the ratio  $2 : 3$ , construct  $\triangle ABC$  and  $\triangle PQR$ .
- (3) The radii of the circular ends of a frustum of a cone are 14 cm and 8 cm. If the height of the frustum is 8 cm, find : ( $\pi = 3.14$ )
- Curved surface area of frustum.
  - Total surface area of the frustum.
  - Volume of the frustum.

**5. Solve the following sub-questions (any one) :**

**3**

- (1)  $\square ABCD$  is a rectangle. Taking  $AD$  as a diameter, a semicircle  $AXD$  is drawn which intersects the diagonal  $BD$  at  $X$ . If  $AB = 12$  cm,  $AD = 9$  cm, then find the values of  $BD$  and  $BX$ .
- (2) Taking  $\theta = 30^\circ$  to verify the following Trigonometric identities :
- $\sin^2 \theta + \cos^2 \theta = 1$
  - $1 + \tan^2 \theta = \sec^2 \theta$
  - $1 + \cot^2 \theta = \operatorname{cosec}^2 \theta$ .